CUSHMAN. MODEL: HAULER PRO X TYPE: ELECTRIC 72V POWERED TRUCK MODEL YEAR: 2017 Part No: 651398										
			TION HIGHLIGH							
 Solid State continuously variable AC speed controller Seatwrap mounted direction selector switch (Forward-Neutral-Reverse) Anti-roll back, walkaway braking and alarm Anti-stall motor protection Regenerative 'Pedal Down' and/or 'Pedal Up' braking 			 Full torque, reduced speed reverse Inductive throttle sensor Diagnostic indicator Factory programmable to application 							
Motor: 7 Drive Train: 1 Electrical System: 7 Fransaxle: 1 Brakes: 1	72 Volt AC Ir Direct motor 72 Volt DC, r Differential w Dual rear wh	VDC, 120/230 VAC 50/60 Hz. Underwriters aduction, solid copper windings. Non vented shaft connected to transaxle pinion shaft nine, 8 volt deep cycle storage batteries (78 vith helical gears eel mechanical self-adjusting drum brakes. A cross-linked polyethylene. Lifts for access t	22.4 hp (16.7 kW) Pe minutes @ 75 Amps, Automatic single poin	eak. , 170 amp it park bra	-hour @ 20 hr. discharge rate)					
			CT OVERVIEW	j-						
Dimensions			Performance							
Overall Length		119.0 in (302.26 cm)	Seating Capacity	1	2 Person					
Overall Width		49.4 in (125.48 cm)	Dry Weight		948 lb (429.91 kg) (Without Batteries)					
Overall Height (No Canopy)		53.0 in (134.62 cm)	Curb Weight		1513 lb (686.29 kg)					
Overall Height (With Canopy)		77.0 in (195.58 cm)	Bed Load Capacity		500 lb (226.80 kg)					
Wheel Base		77.5 in (196.85 cm)	Vehicle Load Capacity		900 lb (408.23 kg)					
Front Wheel Track		38.0 in (96.56 cm)	Outside Clearance Circle		23.5 ft (7.16 m)					
Rear Wheel Track		38.5 in (97.79 cm)	Intersecting Aisle Clearance							
Ground Clearance (at Differential)		7.2 in (18.29 cm)	Speed (Level Ground)		16.5 mph \pm 0.5 mph (26.55 kph \pm 0.80 kph)					
Cargo Box Width (inside)		44.0 in (111.76 cm)	Maximum Drawbar		930 lb (4137 N)					
Cargo Box Length (inside)		39.0 in (99.06 cm)	Towing Capacity		1200 lb (544.31 kg) max load					
Cargo Box Depth (inside)		12.0 in (30.48 cm)	Steering & Suspension							
Cargo Box Capacity		12 cu ft (0.34 cu m)	Steering		Self-compensating rack and pinion					
Cargo Box material		Roto-Molded Polyethylene	Front Suspension		Leaf springs with hydraulic shock absorbers					
Vehicle Power			Rear Suspension		Leaf springs with hydraulic shock absorbers					
Power Source		72 Volts DC	Service Brake		Rear wheel mechanical self-adjusting drum					
Motor Type		AC Induction	Parking Brake		Self-compensating, single point engagement					
Horsepower (kW)		22.4 hp (16.7 kW) Peak	Front & Rear Tires		K500 20 x 8 - 10 (6 Ply), Black Wheel					
Electrical System		72 Volt	Body & Chassis Frame							
Batteries (Qty, Type)		Nine, 8 Volt Deep Cycle			Welded steel. DuraShield™ powder coat					
Key or Pedal Start		Pedal Start	Front Body & Finish		Injection Molded TPO					
Battery Charger		900 Watt, 72VDC	Standard Color		Forest Green					
Speed Controller		350 Amp AC	Noise & Vibration							
Drive Train		Motor Shaft Direct Drive			pressure; continued A-weighted \leq 70 db(A)					
Transaxle		Differential with helical gears			RMS value of weighted acceleration is less than 2.5 m/					
Gear Selection		Forward-Neutral-Reverse			RMS value of weighted acceleration is less than 2.5 m/					
				0	U					
Rear Axle Ratio		17:1		The unc	certainty of measurement is 0.12 m/s					

Some items shown may be optional equipment

standards under conditions of typical vehicle surfaces.



CUSHMAN-

tem	Std Opt Fld		Item	Sto		F
MPROVED SURFACE TIRES:			12 Volt Outlet		Х	Г
Loadstar 20.5 x 8 - 10 (6 Ply), Black Wheel		Х	USB Outlet		Х	1
TURF TIRES:			Unique Key Switch		Х	
K500 20 x 8 - 10 (6 Ply), Black Wheel	Х		STORAGE, HAULING & TOWING:			-L
ALL TERRAIN TIRES:			Glove Box Locking Door		Х	Т
Terra Trac 22 x 11 - 10 (6 Ply), Alloy Wheel		Х	Glove Box Shelf		Х	1
Terra Trac 23 x 10.5 - 12 (6 Ply), Polished Spoke Wheel		Х	Plastic Bed Box	Х		T
Backlash X 23 x 10.5 - 12 (6 Ply), Black Wheel		Х	Aluminum Flat Bed		Х	T
WHEEL COVERS:			Aluminum Bed Box		Х	t
10" Silver Wheelcover (Set of 4)	1	Х	Electric Dump		Х	t
BODY COLORS:			Rear Receiver 2 in (5 cm)	Х		t
Forest Green			Ball Hitch 1 7/8 in (48 mm)		х	1
Patriot Blue, Ivory, Bright White, Flame Red & Black		Х	Angle Hitch		X	\dagger
Almond, Matte Black, Safety Yellow & Metallic Charcoal	1	X	Clevis Hitch		X	$^{+}$
SIDE DECAL COLORS:			Drop Clevis Hitch		X	+
Matte Black			Drop Angle Hitch		X	╈
Forest Green, Patriot Blue, Ivory, Bright White,	Х	Х	Drop Ball Hitch 1 7/8 in (48 mm)		X	╈
Flame Red & Black		X	PLASTIC BED ACCESSORIES:		~	⊥
EAT COLORS:		^	Bed Net (Pocket)			
Gray	Х		D-Ring Tie Down Qty 4			
Stone Beige, Black & Oyster	~	Х	Tailgate Long Handled Tool Holder			
/EHICLE ENHANCEMENTS:		^	Bed Divider			
2 Wheel Mechanical Brakes	Х		ALUMINUM BED ACCESSORIES:			1
Differential (Scuff) Guard	^	Х	D-Ring Tie Down Qty 4			Τ
Limited Slip Differential		X	Elevated Long Handled Tool Holder			
Fender Flare - Large	х	^	Bed Divider			
Frame - E-Shield Enhanced Coating	^	Х	Bed Cage/Hoop Rack			
Brush Guard		X	Ladder Rack & Hook Kit			
Comfort Grip Steering Wheel		X	Cross Bar Kit			
Scorecard Holder		X	Flexible Tool Clamp Kit (2 small & 2 large)			
		^	WEATHER PROTECTION, ENCLOSURES & CABS:			
Charger, 72 VDC, On Board	х		Canopy - Black, Tan & Champagne Beige			
Charger Cord - 5M (16ft) NA for On Board Charger	X		Windshield Flat			
DC Converter (20 amp)	X		Windshield Fold Down			
Charger, 72 VDC, On Board CE		v				-
Off-Board, High Capacity 1500 Watt Charger	-	X X	Enclosure Colors - Black, White & Tan Cab Kit - ROPS Certified			
T875 Batteries T890 Batteries	Х	Х	Ball Cage Kit - ROPS Certified Cab Strobe Light			
Battery Fill System		X	Cab Strobe Light			
	-	X	OTHER ENHANCEMENTS:			_
Hose - 20 ft Regulated Hand Pump		XX				Т
			Canopy Storage Net Mirror - Canopy Mounted			
Headlights	Х					
LED Headlights	-	X	Mirror - 5 Panel			_
Taillights	-	X	Front Basket Kit			
Brake Lights		Х	Gun Mount - Floor Kit			
State of Charge Meter Hour Meter	Х	X	Clays Car Kit			

2017 Hauler Pro X Released:06/27/2016 Revised: 06/27/2016